

Contact Adhesive

Furniture Hardware Parts · furniturehardwareparts.com/adhesives-consumables-tools-and-installation-accessories/contact-adhesive

ADHESIVES, CONSUMABLES, TOOLS, AND INSTALLATION ACCESSORIES

Contact Adhesive is furniture hardware used in cabinet and furniture manufacturing, selected by load, material, finish, and fit. It is available for OEM bulk supply with samples, datasheets, and installation drawings on request.

▮ Bulk Order Ready ✓ ISO 9001:2015 ▯ OEM/ODM Available ↗ [Installation Guide](#)

[Request Bulk Quote](#) [View Specifications](#)

Overview

Contact Adhesive is furniture hardware used in cabinet and furniture manufacturing, selected by load, material, finish, and fit. The notes below cover construction, selection factors, sizes, materials, finishes, application fit, and installation for OEM production.

Industry Data

Use these product signals to compare fit, specification risk, and sourcing options before requesting samples or bulk pricing.

- **Product Form:** Cartridge Confirm the exact value on the order datasheet before production.
- **Size:** 50 g Confirm the exact value on the order datasheet before production.
- **Working Time:** 24 h full cure Confirm the exact value on the order datasheet before production.
- **Compatible Materials:** PVC / ABS edge banding Confirm the exact value on the order datasheet before production.
- **Installation Use:** Hinge boring Confirm the exact value on the order datasheet before production.
- **Material options:** Stainless Steel, Carbon Steel, Zinc Alloy, Aluminum and Brass Choose material by strength, corrosion exposure, and target price.
- **Finish options:** Polished Brass, Brushed Gold, Satin Gold, Brushed Nickel and Satin Brass Confirm finish samples when color matching matters.
- **Application fit:** School Furniture, Hospital Furniture, Laboratory Furniture and Retail Display Fixtures Match the product to the furniture use case, not only to the part name.

Contact Adhesive

Key Specifications

Product Form	Cartridge
Size	50 g
Working Time	24 h full cure
Compatible Materials	PVC / ABS edge banding
Installation Use	Hinge boring
Storage / Packaging	Bulk carton

Specifications are configurable for OEM/ODM orders. Exact values are confirmed on the datasheet for your order.

How to Choose

- Load and usage requirement
- Material for the environment and price point
- Finish for appearance and corrosion resistance
- Mounting and dimensional fit

Material Options

Choose the material for the load, corrosion exposure, and target price of the program.

- [Stainless Steel Contact Adhesive](#)
- [Carbon Steel Contact Adhesive](#)
- [Zinc Alloy Contact Adhesive](#)
- [Aluminum Contact Adhesive](#)
- [Brass Contact Adhesive](#)
- [Copper Contact Adhesive](#)

Finish Options

Finish affects appearance and corrosion performance; match it to the furniture range and market.

- [Polished Brass Contact Adhesive](#)
- [Brushed Gold Contact Adhesive](#)
- [Satin Gold Contact Adhesive](#)

- [Brushed Nickel Contact Adhesive](#)
- [Satin Brass Contact Adhesive](#)
- [Gold Contact Adhesive](#)
- [Champagne Bronze Contact Adhesive](#)
- [White Contact Adhesive](#)

Application Fit

[School Furniture](#)

For this application, contact adhesive is specified for the typical load, environment, and usage of this application.

[Hospital Furniture](#)

For this application, contact adhesive is specified for the typical load, environment, and usage of this application.

[Laboratory Furniture](#)

For this application, contact adhesive is specified for the typical load, environment, and usage of this application.

[Retail Display Fixtures](#)

For this application, contact adhesive is specified for the typical load, environment, and usage of this application.

[Commercial Display Cabinets](#)

For this application, contact adhesive is specified for the typical load, environment, and usage of this application.

[Store Fixtures](#)

For this application, contact adhesive is specified for the typical load, environment, and usage of this application.

Recommended for These Applications

- [Contact Adhesive for School Furniture](#)

Installation Notes

Install using standard furniture-shop tooling and a consistent pattern; we supply drawings with bulk orders.

Animated Installation Guide

Step-by-step SVG diagrams for installing Contact Adhesive on a production line.

Open the installation guide →

Buying Notes for OEM Orders

For OEM production, lock the configuration, finish, and packaging, then confirm volume pricing.

Request Bulk Pricing

Send your specification, target market, and order volume. Our engineers reply with pricing, samples, and datasheets — usually within one business day.

Request a Quote

Tell us your project requirement. Our engineers reply within one business day with bulk pricing, datasheets, and installation drawings.