

Hex Key

Furniture Hardware Parts · furniturehardwareparts.com/adhesives-consumables-tools-and-installation-accessories/hex-key

ADHESIVES, CONSUMABLES, TOOLS, AND INSTALLATION ACCESSORIES

Hex Key is furniture hardware used in cabinet and furniture manufacturing, selected by load, material, finish, and fit. It is available for OEM bulk supply with samples, datasheets, and installation drawings on request.

▮ Bulk Order Ready ✓ ISO 9001:2015 ▯ OEM/ODM Available ↗ [Installation Guide](#)

[Request Bulk Quote](#) [View Specifications](#)

Overview

Hex Key is furniture hardware used in cabinet and furniture manufacturing, selected by load, material, finish, and fit. This page summarizes how to specify it for volume furniture and cabinet manufacturing, including the dimensions and options that matter most to buyers.

Industry Data

Use these product signals to compare fit, specification risk, and sourcing options before requesting samples or bulk pricing.

- **Lock Type:** Central locking system Confirm the exact value on the order datasheet before production.
- **Cylinder Length:** 30 mm Confirm the exact value on the order datasheet before production.
- **Panel Thickness:** 16-22 mm Confirm the exact value on the order datasheet before production.
- **Cam Throw / Reach:** 180 deg cam rotation Confirm the exact value on the order datasheet before production.
- **Keying Option:** Keyed alike Confirm the exact value on the order datasheet before production.
- **Material options:** Stainless Steel, Carbon Steel, Zinc Alloy, Aluminum and Brass Choose material by strength, corrosion exposure, and target price.
- **Finish options:** Galvanized, Brushed Stainless Steel, Anodized Aluminum, Brushed Gold and Aged Brass Confirm finish samples when color matching matters.
- **Application fit:** Soft Close Cabinets, Push To Open Cabinets, Heavy Duty Drawers and File Cabinets Match the product to the furniture use case, not only to the part name.

Hex Key

Key Specifications

Lock Type	Central locking system
Cylinder Length	30 mm
Panel Thickness	16-22 mm
Cam Throw / Reach	180 deg cam rotation
Keying Option	Keyed alike
Finish	Chrome
Supplied With	Lock rod and brackets

Specifications are configurable for OEM/ODM orders. Exact values are confirmed on the datasheet for your order.

How to Choose

- Load and usage requirement
- Material for the environment and price point
- Finish for appearance and corrosion resistance
- Mounting and dimensional fit

Material Options

Choose the material for the load, corrosion exposure, and target price of the program.

- [Stainless Steel Hex Key](#)
- [Carbon Steel Hex Key](#)
- [Zinc Alloy Hex Key](#)
- [Aluminum Hex Key](#)
- [Brass Hex Key](#)
- [Copper Hex Key](#)

Finish Options

Finish affects appearance and corrosion performance; match it to the furniture range and market.

- [Galvanized Hex Key](#)

- [Brushed Stainless Steel Hex Key](#)
- [Anodized Aluminum Hex Key](#)
- [Brushed Gold Hex Key](#)
- [Aged Brass Hex Key](#)
- [Zinc Plated Hex Key](#)
- [Flat Black Hex Key](#)
- [White Hex Key](#)

Application Fit

[Soft Close Cabinets](#)

For this application, hex key is specified for the typical load, environment, and usage of this application.

[Push To Open Cabinets](#)

For this application, hex key is specified for the typical load, environment, and usage of this application.

[Heavy Duty Drawers](#)

For this application, hex key is specified for the typical load, environment, and usage of this application.

[File Cabinets](#)

For this application, hex key is specified for full-extension access and load-rated, lockable operation.

[Tool Cabinets](#)

For this application, hex key is specified for heavy loads, ball-bearing movement, and locking under vibration.

[Pantry Cabinets](#)

For this application, hex key is specified for the typical load, environment, and usage of this application.

Recommended for These Applications

- [Hex Key for Soft Close Cabinets](#)

Installation Notes

Install using standard furniture-shop tooling and a consistent pattern; we supply drawings with bulk orders.

🔗 **Animated Installation Guide**

Step-by-step SVG diagrams for installing Hex Key on a production line.

Open the installation guide →

Buying Notes for OEM Orders

For OEM production, lock the configuration, finish, and packaging, then confirm volume pricing.

Request Bulk Pricing

Send your specification, target market, and order volume. Our engineers reply with pricing, samples, and datasheets — usually within one business day.

Request a Quote

Tell us your project requirement. Our engineers reply within one business day with bulk pricing, datasheets, and installation drawings.