

Recessed Pull

Furniture Hardware Parts · furniturehardwareparts.com/cabinet-handles-knobs-pulls-and-decorative-hardware/recessed-pull

CABINET HANDLES, KNOBS, PULLS, AND DECORATIVE HARDWARE

Recessed Pull is decorative cabinet hardware fixed to doors and drawer fronts, specified by center-to-center hole spacing and finish so it matches the kitchen or furniture range. It is available for OEM bulk supply with samples, datasheets, and installation drawings on request.

■ Bulk Order Ready ✓ ISO 9001:2015 ☒ OEM/ODM Available [Installation Guide](#)

[Request Bulk Quote](#) [View Specifications](#)

Overview

Recessed Pull is decorative cabinet hardware fixed to doors and drawer fronts, specified by center-to-center hole spacing and finish so it matches the kitchen or furniture range. This page summarizes how to specify it for volume furniture and cabinet manufacturing, including the dimensions and options that matter most to buyers.

Industry Data

Use these product signals to compare fit, specification risk, and sourcing options before requesting samples or bulk pricing.

- **Diameter / Shape:** 30 mm round Confirm the exact value on the order datasheet before production.
- **Overall Length:** 25-38 mm Confirm the exact value on the order datasheet before production.
- **Projection:** 24 mm Confirm the exact value on the order datasheet before production.
- **Grip / Face Width:** 10 mm Confirm the exact value on the order datasheet before production.
- **Screw:** M4 x 25 mm and 45 mm screws included Confirm the exact value on the order datasheet before production.
- **Material options:** Stainless Steel, Carbon Steel, Zinc Alloy, Aluminum and Brass Choose material by strength, corrosion exposure, and target price.
- **Finish options:** Gray, Chrome, Satin Chrome, Pewter and Satin Gold Confirm finish samples when color matching matters.
- **Application fit:** Aluminum Frame Cabinet Doors, Handleless Cabinets, Soft Close Cabinets and Push To Open Cabinets Match the product to the furniture use case, not only to the part name.

Recessed Pull

Key Specifications

Diameter / Shape	30 mm round
Overall Length	25-38 mm
Projection	24 mm
Grip / Face Width	10 mm
Screw	M4 x 25 mm and 45 mm screws included
Base Material	Ceramic
Finish Options	Matte black / brushed nickel / brass

Specifications are configurable for OEM/ODM orders. Exact values are confirmed on the datasheet for your order.

How to Choose

- Center-to-center hole spacing (the critical fit dimension)
- Overall length and projection from the door
- Knob vs pull, and matching knobs to pulls across a kitchen
- Finish matched to faucets and appliances
- Cabinet style (modern, transitional, traditional)
- Grip comfort and edge profile
- Screw length for the door/drawer thickness
- Replacement hole spacing when retrofitting

Material Options

Zinc alloy and solid brass are the common bodies; stainless steel suits commercial use. Solid metal feels more premium and holds plated finishes well.

- [Stainless Steel Recessed Pull](#)
- [Carbon Steel Recessed Pull](#)
- [Zinc Alloy Recessed Pull](#)
- [Aluminum Recessed Pull](#)
- [Brass Recessed Pull](#)
- [Copper Recessed Pull](#)

Finish Options

Top-demand finishes are matte black, brushed nickel, champagne bronze, brushed gold, gold, oil-rubbed bronze, and stainless steel. Keep one finish family across knobs and pulls so a kitchen reads consistently.

- [Gray Recessed Pull](#)
- [Chrome Recessed Pull](#)
- [Satin Chrome Recessed Pull](#)
- [Pewter Recessed Pull](#)
- [Satin Gold Recessed Pull](#)
- [Stainless Steel Recessed Pull](#)
- [White Recessed Pull](#)
- [Bronze Recessed Pull](#)

Application Fit

[Aluminum Frame Cabinet Doors](#)

For this application, recessed pull is specified for the typical load, environment, and usage of this application.

[Handleless Cabinets](#)

For this application, recessed pull is specified for the typical load, environment, and usage of this application.

[Soft Close Cabinets](#)

For this application, recessed pull is specified for the typical load, environment, and usage of this application.

[Push To Open Cabinets](#)

For this application, recessed pull is specified for the typical load, environment, and usage of this application.

[Heavy Duty Drawers](#)

For this application, recessed pull is specified for the typical load, environment, and usage of this application.

[File Cabinets](#)

For this application, recessed pull is specified for full-extension access and load-rated, lockable operation.

Recommended for These Applications

- [Recessed Pull for Aluminum Frame Cabinet Doors](#)

Installation Notes

Drill the door or drawer front to the center-to-center spacing using a template, then fix with machine screws (8-32) sized to the panel thickness. For retrofits, match the existing hole spacing or use an adjustable backplate.

📖 **Animated Installation Guide**

Step-by-step SVG diagrams for installing Recessed Pull on a production line.

Open the installation guide →

Buying Notes for OEM Orders

For OEM and hospitality orders, standardize hole spacings and a single finish family, and offer matching knobs and pulls. Custom finishes and branding raise MOQ; confirm on the quote.

Comparisons

- [Cabinet Knobs vs Cabinet Pulls](#)

Related Questions

These questions are pulled into the product page as visible Q&A content, not only as plain FAQ links.

What is Cabinet Handles, Knobs, Pulls, and Decorative Hardware?

Cabinet Handles, Knobs, Pulls, and Decorative Hardware is decorative hardware fixed to cabinet doors and drawer fronts. Pulls are specified by center-to-center hole spacing; knobs use a single screw. Finish is chosen to match the kitchen or furniture range.

[Read the full Cabinet Pull and Handle FAQ →](#)

What is Cabinet Pull?

Cabinet Pull is decorative hardware fixed to cabinet doors and drawer fronts. Pulls are specified by center-to-center hole spacing; knobs use a single screw. Finish is chosen to match the kitchen or furniture range.

[Read the full Cabinet Pull Size FAQ →](#)

What is Cabinet Pull?

Cabinet Pull is decorative hardware fixed to cabinet doors and drawer fronts. Pulls are specified by center-to-center hole spacing; knobs use a single screw. Finish is chosen to match the kitchen or furniture range.

[Read the full Cabinet Pull FAQ →](#)

What is Cabinet Knob?

Cabinet Knob is decorative hardware fixed to cabinet doors and drawer fronts. Pulls are specified by center-to-center hole spacing; knobs use a single screw. Finish is chosen to match the kitchen or furniture range.

[Read the full Cabinet Knob FAQ →](#)

Request Bulk Pricing

Send your specification, target market, and order volume. Our engineers reply with pricing, samples, and datasheets — usually within one business day.

Request a Quote

Tell us your project requirement. Our engineers reply within one business day with bulk pricing, datasheets, and installation drawings.