

Continuous Hinge

Furniture Hardware Parts · furniturehardwareparts.com/cabinet-hinges-and-furniture-hinges/continuous-hinge

CABINET HINGES AND FURNITURE HINGES

Continuous Hinge is a concealed cabinet hinge that attaches inside the cabinet so no hardware shows on the door face, giving adjustable, repeatable door alignment in volume furniture production. It is available for OEM bulk supply with samples, datasheets, and installation drawings on request.

▮ Bulk Order Ready ✓ ISO 9001:2015 ▯ OEM/ODM Available ↗ [Installation Guide](#)

[Request Bulk Quote](#) [View Specifications](#)

Overview

Continuous Hinge is a concealed cabinet hinge that attaches inside the cabinet so no hardware shows on the door face, giving adjustable, repeatable door alignment in volume furniture production. This page summarizes how to specify it for volume furniture and cabinet manufacturing, including the dimensions and options that matter most to buyers.

Industry Data

Use these product signals to compare fit, specification risk, and sourcing options before requesting samples or bulk pricing.

- **Open Length:** 1200 mm Confirm the exact value on the order datasheet before production.
- **Leaf Width:** 38 mm Confirm the exact value on the order datasheet before production.
- **Pin Diameter:** 2.5 mm Confirm the exact value on the order datasheet before production.
- **Material Thickness:** 1.2 mm Confirm the exact value on the order datasheet before production.
- **Hole Spacing:** 50 mm Confirm the exact value on the order datasheet before production.
- **Material options:** Stainless Steel, Carbon Steel, Zinc Alloy, Aluminum and Brass Choose material by strength, corrosion exposure, and target price.
- **Finish options:** Champagne Bronze, Brushed Nickel, Rose Gold, Polished Brass and Satin Nickel Confirm finish samples when color matching matters.
- **Application fit:** RV and Camper Furniture, Truck and Tool Storage, Face Frame Cabinets and Frameless Cabinets Match the product to the furniture use case, not only to the part name.

Continuous Hinge

Key Specifications

Open Length	1200 mm
Leaf Width	38 mm
Pin Diameter	2.5 mm
Material Thickness	1.2 mm
Hole Spacing	50 mm
Material / Finish	Zinc-plated steel

Specifications are configurable for OEM/ODM orders. Exact values are confirmed on the datasheet for your order.

How to Choose

- Cup diameter (35mm is the furniture-industry standard; 26mm for thin doors)
- Cup depth and the required boring pattern
- Opening angle (95°–110° for most doors, wide-angle for blind corners)
- Overlay type: full overlay, half overlay, or inset
- Face-frame vs frameless (European) cabinet construction
- Door thickness and material
- Soft-close or self-closing requirement
- Mounting plate type and clip-on vs screw-on attachment

Material Options

Cold-rolled steel arms with nickel plating are standard for value, while stainless steel suits humid kitchens and bathrooms. Cup and arm gauge drive the cycle life and sag resistance.

- [Stainless Steel Continuous Hinge](#)
- [Carbon Steel Continuous Hinge](#)
- [Zinc Alloy Continuous Hinge](#)
- [Aluminum Continuous Hinge](#)
- [Brass Continuous Hinge](#)
- [Copper Continuous Hinge](#)

Finish Options

Hinges are usually nickel-plated and hidden inside the cabinet, so finish is about corrosion resistance rather than appearance. Specify a heavier plating or stainless steel for high-humidity programs.

- [Champagne Bronze Continuous Hinge](#)
- [Brushed Nickel Continuous Hinge](#)
- [Rose Gold Continuous Hinge](#)
- [Polished Brass Continuous Hinge](#)
- [Satin Nickel Continuous Hinge](#)
- [Brushed Brass Continuous Hinge](#)
- [Satin Gold Continuous Hinge](#)
- [Oil Rubbed Bronze Continuous Hinge](#)

Application Fit

[RV and Camper Furniture](#)

For this application, continuous hinge is specified for the typical load, environment, and usage of this application.

[Truck and Tool Storage](#)

For this application, continuous hinge is specified for the typical load, environment, and usage of this application.

[Face Frame Cabinets](#)

For this application, continuous hinge is specified for the typical load, environment, and usage of this application.

[Frameless Cabinets](#)

For this application, continuous hinge is specified for the typical load, environment, and usage of this application.

[Kitchen Cabinets](#)

For this application, continuous hinge is specified for daily use, soft-close motion, moisture resistance, and fast, repeatable installation on the line.

[Bathroom Vanities](#)

For this application, continuous hinge is specified for humidity and corrosion resistance, compact drawers, and easy maintenance.

Recommended for These Applications

- [Continuous Hinge for RV and Camper Furniture](#)

Installation Notes

Bore the 35mm cup, screw the hinge boss to the door, fix the mounting plate to the cabinet side at the correct height, then clip the arm to the plate. Use the three adjustment screws to align overlay, height, and depth.

📺 Animated Installation Guide

Step-by-step SVG diagrams for installing Continuous Hinge on a production line.

Open the installation guide →

Buying Notes for OEM Orders

For OEM cabinet lines, lock the cup size, opening angle, overlay, and soft-close type, then standardize the mounting plate height across the range to keep boring patterns consistent.

Comparisons

- [Soft Close Hinges vs Self Closing Hinges](#)
- [Frameless Cabinet Hinges vs Face Frame Hinges](#)
- [Inset vs Overlay Cabinet Hinges](#)
- [Full Overlay vs Half Overlay Hinges](#)

Related Questions

These questions are pulled into the product page as visible Q&A content, not only as plain FAQ links.

What is Cabinet Hinges and Furniture Hinges?

Cabinet Hinges and Furniture Hinges is a concealed cabinet hinge mounted inside the cabinet so nothing shows on the door face. It gives adjustable, repeatable door alignment and is specified by cup size, opening angle, and overlay type.

[Read the full Cabinet Hinge FAQ →](#)

What is Soft Close Hinge?

Soft Close Hinge is a concealed cabinet hinge mounted inside the cabinet so nothing shows on the door face. It gives adjustable, repeatable door alignment and is specified by cup size, opening angle, and overlay type.

[Read the full Soft Close Hinge FAQ →](#)

What is 35mm Cup Hinge?

35mm Cup Hinge is a concealed cabinet hinge mounted inside the cabinet so nothing shows on the door face. It gives adjustable, repeatable door alignment and is specified by cup size, opening angle, and overlay type.

[Read the full 35mm Cup Hinge FAQ →](#)

What is Concealed Hinge?

Concealed Hinge is a concealed cabinet hinge mounted inside the cabinet so nothing shows on the door face. It gives adjustable, repeatable door alignment and is specified by cup size, opening angle, and overlay type.

[Read the full Concealed Cabinet Hinge FAQ →](#)

What is Inset Hinge?

Inset Hinge is a concealed cabinet hinge mounted inside the cabinet so nothing shows on the door face. It gives adjustable, repeatable door alignment and is specified by cup size, opening angle, and overlay type.

[Read the full Inset Cabinet Hinge FAQ →](#)

What is Overlay Hinge?

Overlay Hinge is a concealed cabinet hinge mounted inside the cabinet so nothing shows on the door face. It gives adjustable, repeatable door alignment and is specified by cup size, opening angle, and overlay type.

[Read the full Overlay Cabinet Hinge FAQ →](#)

Request Bulk Pricing

Send your specification, target market, and order volume. Our engineers reply with pricing, samples, and datasheets — usually within one business day.

Request a Quote

Tell us your project requirement. Our engineers reply within one business day with bulk pricing, datasheets, and installation drawings.