

Anti Slam Damper

Furniture Hardware Parts · furniturehardwareparts.com/catches-latches-magnets-and-door-retainers/anti-slam-damper

CATCHES, LATCHES, MAGNETS, AND DOOR RETAINERS

Anti Slam Damper keeps a cabinet door closed and aligned, with magnetic, roller, or push-to-open action for handleless designs. It is available for OEM bulk supply with samples, datasheets, and installation drawings on request.

▮ Bulk Order Ready ✓ ISO 9001:2015 ▯ OEM/ODM Available ↗ [Installation Guide](#)

[Request Bulk Quote](#) [View Specifications](#)

Overview

Anti Slam Damper keeps a cabinet door closed and aligned, with magnetic, roller, or push-to-open action for handleless designs. This page summarizes how to specify it for volume furniture and cabinet manufacturing, including the dimensions and options that matter most to buyers.

Industry Data

Use these product signals to compare fit, specification risk, and sourcing options before requesting samples or bulk pricing.

- **Function:** Soft-close damping Confirm the exact value on the order datasheet before production.
- **Holding Force:** 4-6 kgf Confirm the exact value on the order datasheet before production.
- **Mounting Type:** Surface mount Confirm the exact value on the order datasheet before production.
- **Body Size:** Adjustable strike plate Confirm the exact value on the order datasheet before production.
- **Material:** Zinc alloy body Confirm the exact value on the order datasheet before production.
- **Material options:** Stainless Steel, Carbon Steel, Zinc Alloy, Aluminum and Brass Choose material by strength, corrosion exposure, and target price.
- **Finish options:** Champagne Bronze, Satin Nickel, Polished Chrome, Matte Black and Rose Gold Confirm finish samples when color matching matters.
- **Application fit:** Heavy Duty Drawers, File Cabinets, Tool Cabinets and Pantry Cabinets Match the product to the furniture use case, not only to the part name.

Anti Slam Damper

Key Specifications

Function	Soft-close damping
Holding Force	4-6 kgf
Mounting Type	Surface mount
Body Size	Adjustable strike plate
Material	Zinc alloy body
Adjustment	Depth adjustment by screw

Specifications are configurable for OEM/ODM orders. Exact values are confirmed on the datasheet for your order.

How to Choose

- Holding force needed for the door size
- Magnetic, roller, push, or touch-latch type
- Surface or concealed mounting
- Adjustment for door alignment

Material Options

Plastic bodies with steel strike plates are standard; stronger magnets for larger doors.

- [Stainless Steel Anti Slam Damper](#)
- [Carbon Steel Anti Slam Damper](#)
- [Zinc Alloy Anti Slam Damper](#)
- [Aluminum Anti Slam Damper](#)
- [Brass Anti Slam Damper](#)
- [Copper Anti Slam Damper](#)

Finish Options

Usually hidden; white, brown, or nickel to blend with the cabinet.

- [Champagne Bronze Anti Slam Damper](#)
- [Satin Nickel Anti Slam Damper](#)
- [Polished Chrome Anti Slam Damper](#)

- [Matte Black Anti Slam Damper](#)
- [Rose Gold Anti Slam Damper](#)
- [Oil Rubbed Bronze Anti Slam Damper](#)
- [Satin Gold Anti Slam Damper](#)
- [Gray Anti Slam Damper](#)

Application Fit

[Heavy Duty Drawers](#)

For this application, anti slam damper is specified for the typical load, environment, and usage of this application.

[File Cabinets](#)

For this application, anti slam damper is specified for full-extension access and load-rated, lockable operation.

[Tool Cabinets](#)

For this application, anti slam damper is specified for heavy loads, ball-bearing movement, and locking under vibration.

[Pantry Cabinets](#)

For this application, anti slam damper is specified for the typical load, environment, and usage of this application.

[Corner Cabinets](#)

For this application, anti slam damper is specified for the typical load, environment, and usage of this application.

[Wall Cabinets](#)

For this application, anti slam damper is specified for the typical load, environment, and usage of this application.

Recommended for These Applications

- [Anti Slam Damper for Heavy Duty Drawers](#)

Installation Notes

Mount the catch and strike so the door closes flush, then adjust for a clean reveal.

Animated Installation Guide

Step-by-step SVG diagrams for installing Anti Slam Damper on a production line.

Open the installation guide →

Buying Notes for OEM Orders

Standardize one or two holding forces across a cabinet range to simplify assembly.

Request Bulk Pricing

Send your specification, target market, and order volume. Our engineers reply with pricing, samples, and datasheets — usually within one business day.

Request a Quote

Tell us your project requirement. Our engineers reply within one business day with bulk pricing, datasheets, and installation drawings.