

Door Stopper

Furniture Hardware Parts · furniturehardwareparts.com/catches-latches-magnets-and-door-retainers/door-stopper

CATCHES, LATCHES, MAGNETS, AND DOOR RETAINERS

Door Stopper keeps a cabinet door closed and aligned, with magnetic, roller, or push-to-open action for handleless designs. It is available for OEM bulk supply with samples, datasheets, and installation drawings on request.

► Bulk Order Ready ✓ ISO 9001:2015 ☒ OEM/ODM Available ↗ [Installation Guide](#)

[Request Bulk Quote](#) [View Specifications](#)

Overview

Door Stopper keeps a cabinet door closed and aligned, with magnetic, roller, or push-to-open action for handleless designs. This page summarizes how to specify it for volume furniture and cabinet manufacturing, including the dimensions and options that matter most to buyers.

Industry Data

Use these product signals to compare fit, specification risk, and sourcing options before requesting samples or bulk pricing.

- **Function:** Door buffer Confirm the exact value on the order datasheet before production.
- **Holding Force:** 2-4 kgf Confirm the exact value on the order datasheet before production.
- **Mounting Type:** Recessed mount Confirm the exact value on the order datasheet before production.
- **Body Size:** Adjustable strike plate Confirm the exact value on the order datasheet before production.
- **Material:** Silicone / rubber Confirm the exact value on the order datasheet before production.
- **Material options:** Stainless Steel, Carbon Steel, Zinc Alloy, Aluminum and Brass Choose material by strength, corrosion exposure, and target price.
- **Finish options:** Polished Chrome, Aged Brass, Gray, White and Galvanized Confirm finish samples when color matching matters.
- **Application fit:** Wardrobe Cabinets, Closet Systems, Bedroom Furniture and Living Room Furniture Match the product to the furniture use case, not only to the part name.

Door Stopper

Key Specifications

Function	Door buffer
Holding Force	2-4 kgf
Mounting Type	Recessed mount
Body Size	Adjustable strike plate
Material	Silicone / rubber
Adjustment	Fixed position

Specifications are configurable for OEM/ODM orders. Exact values are confirmed on the datasheet for your order.

How to Choose

- Holding force needed for the door size
- Magnetic, roller, push, or touch-latch type
- Surface or concealed mounting
- Adjustment for door alignment

Material Options

Plastic bodies with steel strike plates are standard; stronger magnets for larger doors.

- [Stainless Steel Door Stopper](#)
- [Carbon Steel Door Stopper](#)
- [Zinc Alloy Door Stopper](#)
- [Aluminum Door Stopper](#)
- [Brass Door Stopper](#)
- [Copper Door Stopper](#)

Finish Options

Usually hidden; white, brown, or nickel to blend with the cabinet.

- [Polished Chrome Door Stopper](#)
- [Aged Brass Door Stopper](#)
- [Gray Door Stopper](#)

- [White Door Stopper](#)
- [Galvanized Door Stopper](#)
- [Satin Chrome Door Stopper](#)
- [Antique Brass Door Stopper](#)
- [Powder Coated Door Stopper](#)

Application Fit

[Wardrobe Cabinets](#)

For this application, door stopper is specified for quiet operation, smooth movement, and space-saving storage.

[Closet Systems](#)

For this application, door stopper is specified for the typical load, environment, and usage of this application.

[Bedroom Furniture](#)

For this application, door stopper is specified for the typical load, environment, and usage of this application.

[Living Room Furniture](#)

For this application, door stopper is specified for the typical load, environment, and usage of this application.

[Office Furniture](#)

For this application, door stopper is specified for high-frequency use, file-drawer loads, and central locking.

[Hotel Furniture](#)

For this application, door stopper is specified for the typical load, environment, and usage of this application.

Recommended for These Applications

- [Door Stopper for Wardrobe Cabinets](#)

Installation Notes

Mount the catch and strike so the door closes flush, then adjust for a clean reveal.

Animated Installation Guide

Step-by-step SVG diagrams for installing Door Stopper on a production line.

Open the installation guide →

Buying Notes for OEM Orders

Standardize one or two holding forces across a cabinet range to simplify assembly.

Request Bulk Pricing

Send your specification, target market, and order volume. Our engineers reply with pricing, samples, and datasheets — usually within one business day.

Request a Quote

Tell us your project requirement. Our engineers reply within one business day with bulk pricing, datasheets, and installation drawings.