

L profile

Furniture Hardware Parts · furniturehardwareparts.com/edge-banding-trim-profiles-and-decorative-components/l-profile

EDGE BANDING, TRIM, PROFILES, AND DECORATIVE COMPONENTS

L profile finishes and protects panel edges with a color-matched profile for a clean, durable furniture edge. It is available for OEM bulk supply with samples, datasheets, and installation drawings on request.

▮ Bulk Order Ready ✓ ISO 9001:2015 ▯ OEM/ODM Available ↗ [Installation Guide](#)

[Request Bulk Quote](#) [View Specifications](#)

Overview

L profile finishes and protects panel edges with a color-matched profile for a clean, durable furniture edge. The notes below cover construction, selection factors, sizes, materials, finishes, application fit, and installation for OEM production.

Industry Data

Use these product signals to compare fit, specification risk, and sourcing options before requesting samples or bulk pricing.

- **Panel / Band Width:** 22 mm Confirm the exact value on the order datasheet before production.
- **Thickness:** 1.5 mm Confirm the exact value on the order datasheet before production.
- **Length / Roll:** 3.0 m profile Confirm the exact value on the order datasheet before production.
- **Material:** Melamine Confirm the exact value on the order datasheet before production.
- **Fixing Method:** Hot-melt glue Confirm the exact value on the order datasheet before production.
- **Material options:** Stainless Steel, Carbon Steel, Zinc Alloy, Aluminum and Brass Choose material by strength, corrosion exposure, and target price.
- **Finish options:** Antique Brass, Bronze, Copper, Powder Coated and Brushed Gold Confirm finish samples when color matching matters.
- **Application fit:** Office Furniture, Hotel Furniture, Apartment Furniture and School Furniture Match the product to the furniture use case, not only to the part name.

L profile

Key Specifications

Panel / Band Width	22 mm
Thickness	1.5 mm
Length / Roll	3.0 m profile
Material	Melamine
Fixing Method	Hot-melt glue
Finish Match	High gloss

Specifications are configurable for OEM/ODM orders. Exact values are confirmed on the datasheet for your order.

How to Choose

- Panel thickness and edge profile
- Material match to the panel
- Adhesive or pre-glued type
- Color and finish match

Material Options

PVC, ABS, and melamine bandings to match the panel surface.

- [Stainless Steel L profile](#)
- [Carbon Steel L profile](#)
- [Zinc Alloy L profile](#)
- [Aluminum L profile](#)
- [Brass L profile](#)
- [Copper L profile](#)

Finish Options

Color-matched to the panel decor; wide range of woodgrains and solids.

- [Antique Brass L profile](#)
- [Bronze L profile](#)
- [Copper L profile](#)

- [Powder Coated L profile](#)
- [Brushed Gold L profile](#)
- [Satin Brass L profile](#)
- [Stainless Steel L profile](#)
- [White L profile](#)

Application Fit

[Office Furniture](#)

For this application, L profile is specified for high-frequency use, file-drawer loads, and central locking.

[Hotel Furniture](#)

For this application, L profile is specified for the typical load, environment, and usage of this application.

[Apartment Furniture](#)

For this application, L profile is specified for the typical load, environment, and usage of this application.

[School Furniture](#)

For this application, L profile is specified for the typical load, environment, and usage of this application.

[Hospital Furniture](#)

For this application, L profile is specified for the typical load, environment, and usage of this application.

[Laboratory Furniture](#)

For this application, L profile is specified for the typical load, environment, and usage of this application.

Recommended for These Applications

- [L profile for Office Furniture](#)

Installation Notes

Apply with an edgebander or pre-glued iron-on, then trim flush and clean.

Animated Installation Guide

Step-by-step SVG diagrams for installing L profile on a production line.

Open the installation guide →

Buying Notes for OEM Orders

Match banding decor to your panel supplier and order matching rolls in bulk.

Request Bulk Pricing

Send your specification, target market, and order volume. Our engineers reply with pricing, samples, and datasheets — usually within one business day.

Request a Quote

Tell us your project requirement. Our engineers reply within one business day with bulk pricing, datasheets, and installation drawings.