

Sliding Door Profile

Furniture Hardware Parts · furniturehardwareparts.com/edge-banding-trim-profiles-and-decorative-components/sliding-door-profile

EDGE BANDING, TRIM, PROFILES, AND DECORATIVE COMPONENTS

Sliding Door Profile finishes and protects panel edges with a color-matched profile for a clean, durable furniture edge. It is available for OEM bulk supply with samples, datasheets, and installation drawings on request.

▮ Bulk Order Ready ✓ ISO 9001:2015 ▯ OEM/ODM Available ↗ [Installation Guide](#)

[Request Bulk Quote](#) [View Specifications](#)

Overview

Sliding Door Profile finishes and protects panel edges with a color-matched profile for a clean, durable furniture edge. The notes below cover construction, selection factors, sizes, materials, finishes, application fit, and installation for OEM production.

Industry Data

Use these product signals to compare fit, specification risk, and sourcing options before requesting samples or bulk pricing.

- **Door Weight Capacity:** 80 kg per door Confirm the exact value on the order datasheet before production.
- **Door Thickness:** 16-25 mm wood panel Confirm the exact value on the order datasheet before production.
- **Track Length:** 1800 mm Confirm the exact value on the order datasheet before production.
- **System Type:** Bottom-rolling Confirm the exact value on the order datasheet before production.
- **Roller Material:** POM wheel Confirm the exact value on the order datasheet before production.
- **Material options:** Stainless Steel, Carbon Steel, Zinc Alloy, Aluminum and Brass Choose material by strength, corrosion exposure, and target price.
- **Finish options:** Flat Black, Polished Chrome, Zinc Plated, Gold and Satin Chrome Confirm finish samples when color matching matters.
- **Application fit:** Solid Wood Furniture, Glass Display Cabinets, Aluminum Frame Cabinet Doors and Handleless Cabinets Match the product to the furniture use case, not only to the part name.

Sliding Door Profile

Key Specifications

Door Weight Capacity	80 kg per door
Door Thickness	16-25 mm wood panel
Track Length	1800 mm
System Type	Bottom-rolling
Roller Material	POM wheel
Adjustment	Soft-close damper

Specifications are configurable for OEM/ODM orders. Exact values are confirmed on the datasheet for your order.

How to Choose

- Panel thickness and edge profile
- Material match to the panel
- Adhesive or pre-glued type
- Color and finish match

Material Options

PVC, ABS, and melamine bandings to match the panel surface.

- [Stainless Steel Sliding Door Profile](#)
- [Carbon Steel Sliding Door Profile](#)
- [Zinc Alloy Sliding Door Profile](#)
- [Aluminum Sliding Door Profile](#)
- [Brass Sliding Door Profile](#)
- [Copper Sliding Door Profile](#)

Finish Options

Color-matched to the panel decor; wide range of woodgrains and solids.

- [Flat Black Sliding Door Profile](#)
- [Polished Chrome Sliding Door Profile](#)
- [Zinc Plated Sliding Door Profile](#)

- [Gold Sliding Door Profile](#)
- [Satin Chrome Sliding Door Profile](#)
- [Champagne Bronze Sliding Door Profile](#)
- [Brushed Brass Sliding Door Profile](#)
- [Anodized Aluminum Sliding Door Profile](#)

Application Fit

[Solid Wood Furniture](#)

For this application, sliding door profile is specified for the typical load, environment, and usage of this application.

[Glass Display Cabinets](#)

For this application, sliding door profile is specified for the typical load, environment, and usage of this application.

[Aluminum Frame Cabinet Doors](#)

For this application, sliding door profile is specified for the typical load, environment, and usage of this application.

[Handleless Cabinets](#)

For this application, sliding door profile is specified for the typical load, environment, and usage of this application.

[Soft Close Cabinets](#)

For this application, sliding door profile is specified for the typical load, environment, and usage of this application.

[Push To Open Cabinets](#)

For this application, sliding door profile is specified for the typical load, environment, and usage of this application.

Recommended for These Applications

- [Sliding Door Profile for Solid Wood Furniture](#)

Installation Notes

Apply with an edgebander or pre-glued iron-on, then trim flush and clean.

Animated Installation Guide

Step-by-step SVG diagrams for installing Sliding Door Profile on a production line.

Open the installation guide →

Buying Notes for OEM Orders

Match banding decor to your panel supplier and order matching rolls in bulk.

Request Bulk Pricing

Send your specification, target market, and order volume. Our engineers reply with pricing, samples, and datasheets — usually within one business day.

Request a Quote

Tell us your project requirement. Our engineers reply within one business day with bulk pricing, datasheets, and installation drawings.