

Trim Cap

Furniture Hardware Parts · furniturehardwareparts.com/edge-banding-trim-profiles-and-decorative-components/trim-cap

EDGE BANDING, TRIM, PROFILES, AND DECORATIVE COMPONENTS

Trim Cap finishes and protects panel edges with a color-matched profile for a clean, durable furniture edge. It is available for OEM bulk supply with samples, datasheets, and installation drawings on request.

▮ Bulk Order Ready ✓ ISO 9001:2015 ▯ OEM/ODM Available ↗ [Installation Guide](#)

[Request Bulk Quote](#) [View Specifications](#)

Overview

Trim Cap finishes and protects panel edges with a color-matched profile for a clean, durable furniture edge. The notes below cover construction, selection factors, sizes, materials, finishes, application fit, and installation for OEM production.

Industry Data

Use these product signals to compare fit, specification risk, and sourcing options before requesting samples or bulk pricing.

- **Panel / Band Width:** 22 mm Confirm the exact value on the order datasheet before production.
- **Thickness:** 0.8 mm Confirm the exact value on the order datasheet before production.
- **Length / Roll:** 3.0 m profile Confirm the exact value on the order datasheet before production.
- **Material:** PVC Confirm the exact value on the order datasheet before production.
- **Fixing Method:** Hot-melt glue Confirm the exact value on the order datasheet before production.
- **Material options:** Stainless Steel, Carbon Steel, Zinc Alloy, Aluminum and Brass Choose material by strength, corrosion exposure, and target price.
- **Finish options:** Satin Brass, Black Nickel, White, Polished Brass and Pewter Confirm finish samples when color matching matters.
- **Application fit:** Shoe Cabinets, TV Cabinets, Bookcases and Wine Cabinets Match the product to the furniture use case, not only to the part name.

Trim Cap

Key Specifications

Panel / Band Width	22 mm
Thickness	0.8 mm
Length / Roll	3.0 m profile
Material	PVC
Fixing Method	Hot-melt glue
Finish Match	High gloss

Specifications are configurable for OEM/ODM orders. Exact values are confirmed on the datasheet for your order.

How to Choose

- Panel thickness and edge profile
- Material match to the panel
- Adhesive or pre-glued type
- Color and finish match

Material Options

PVC, ABS, and melamine bandings to match the panel surface.

- [Stainless Steel Trim Cap](#)
- [Carbon Steel Trim Cap](#)
- [Zinc Alloy Trim Cap](#)
- [Aluminum Trim Cap](#)
- [Brass Trim Cap](#)
- [Copper Trim Cap](#)

Finish Options

Color-matched to the panel decor; wide range of woodgrains and solids.

- [Satin Brass Trim Cap](#)
- [Black Nickel Trim Cap](#)
- [White Trim Cap](#)

- [Polished Brass Trim Cap](#)
- [Pewter Trim Cap](#)
- [Satin Gold Trim Cap](#)
- [Chrome Trim Cap](#)
- [Brushed Nickel Trim Cap](#)

Application Fit

[Shoe Cabinets](#)

For this application, trim cap is specified for the typical load, environment, and usage of this application.

[TV Cabinets](#)

For this application, trim cap is specified for the typical load, environment, and usage of this application.

[Bookcases](#)

For this application, trim cap is specified for the typical load, environment, and usage of this application.

[Wine Cabinets](#)

For this application, trim cap is specified for the typical load, environment, and usage of this application.

[Laundry Cabinets](#)

For this application, trim cap is specified for the typical load, environment, and usage of this application.

[Garage Storage Cabinets](#)

For this application, trim cap is specified for the typical load, environment, and usage of this application.

Recommended for These Applications

- [Trim Cap for Shoe Cabinets](#)

Installation Notes

Apply with an edgebander or pre-glued iron-on, then trim flush and clean.

Animated Installation Guide

Step-by-step SVG diagrams for installing Trim Cap on a production line.

Open the installation guide →

Buying Notes for OEM Orders

Match banding decor to your panel supplier and order matching rolls in bulk.

Request Bulk Pricing

Send your specification, target market, and order volume. Our engineers reply with pricing, samples, and datasheets — usually within one business day.

Request a Quote

Tell us your project requirement. Our engineers reply within one business day with bulk pricing, datasheets, and installation drawings.