

Reinforcing Bracket

Furniture Hardware Parts · furniturehardwareparts.com/furniture-repair-hardware-and-replacement-parts/reinforcing-bracket

FURNITURE REPAIR HARDWARE AND REPLACEMENT PARTS

Reinforcing Bracket is furniture hardware used in cabinet and furniture manufacturing, selected by load, material, finish, and fit. It is available for OEM bulk supply with samples, datasheets, and installation drawings on request.

► Bulk Order Ready ✓ ISO 9001:2015 ☒ OEM/ODM Available ➤ [Installation Guide](#)

[Request Bulk Quote](#) [View Specifications](#)

Overview

Reinforcing Bracket is furniture hardware used in cabinet and furniture manufacturing, selected by load, material, finish, and fit. The notes below cover construction, selection factors, sizes, materials, finishes, application fit, and installation for OEM production.

Industry Data

Use these product signals to compare fit, specification risk, and sourcing options before requesting samples or bulk pricing.

- **Panel Thickness:** 15-18 mm Confirm the exact value on the order datasheet before production.
- **Housing / Bore:** 20 mm cam housing Confirm the exact value on the order datasheet before production.
- **Bolt / Dowel Size:** 8 x 30 mm wooden dowel Confirm the exact value on the order datasheet before production.
- **Joint Type:** Right-angle cabinet joint Confirm the exact value on the order datasheet before production.
- **Material:** Zinc die-cast cam with steel bolt Confirm the exact value on the order datasheet before production.
- **Material options:** Stainless Steel, Carbon Steel, Zinc Alloy, Aluminum and Brass Choose material by strength, corrosion exposure, and target price.
- **Finish options:** Zinc Plated, Polished Stainless Steel, Gray, Anodized Aluminum and Satin Gold Confirm finish samples when color matching matters.
- **Application fit:** Face Frame Cabinets, Frameless Cabinets, Kitchen Cabinets and Bathroom Vanities Match the product to the furniture use case, not only to the part name.

Reinforcing Bracket

Key Specifications

Panel Thickness	15-18 mm
Housing / Bore	20 mm cam housing
Bolt / Dowel Size	8 x 30 mm wooden dowel
Joint Type	Right-angle cabinet joint
Material	Zinc die-cast cam with steel bolt
Assembly Tool	Press-fit plus screw fixing

Specifications are configurable for OEM/ODM orders. Exact values are confirmed on the datasheet for your order.

How to Choose

- Load and usage requirement
- Material for the environment and price point
- Finish for appearance and corrosion resistance
- Mounting and dimensional fit

Material Options

Choose the material for the load, corrosion exposure, and target price of the program.

- [Stainless Steel Reinforcing Bracket](#)
- [Carbon Steel Reinforcing Bracket](#)
- [Zinc Alloy Reinforcing Bracket](#)
- [Aluminum Reinforcing Bracket](#)
- [Brass Reinforcing Bracket](#)
- [Copper Reinforcing Bracket](#)

Finish Options

Finish affects appearance and corrosion performance; match it to the furniture range and market.

- [Zinc Plated Reinforcing Bracket](#)
- [Polished Stainless Steel Reinforcing Bracket](#)
- [Gray Reinforcing Bracket](#)

- [Anodized Aluminum Reinforcing Bracket](#)
- [Satin Gold Reinforcing Bracket](#)
- [Satin Nickel Reinforcing Bracket](#)
- [Brushed Nickel Reinforcing Bracket](#)
- [Polished Brass Reinforcing Bracket](#)

Application Fit

[Face Frame Cabinets](#)

For this application, reinforcing bracket is specified for the typical load, environment, and usage of this application.

[Frameless Cabinets](#)

For this application, reinforcing bracket is specified for the typical load, environment, and usage of this application.

[Kitchen Cabinets](#)

For this application, reinforcing bracket is specified for daily use, soft-close motion, moisture resistance, and fast, repeatable installation on the line.

[Bathroom Vanities](#)

For this application, reinforcing bracket is specified for humidity and corrosion resistance, compact drawers, and easy maintenance.

[Wardrobe Cabinets](#)

For this application, reinforcing bracket is specified for quiet operation, smooth movement, and space-saving storage.

[Closet Systems](#)

For this application, reinforcing bracket is specified for the typical load, environment, and usage of this application.

Recommended for These Applications

- [Reinforcing Bracket for Face Frame Cabinets](#)

Installation Notes

Install using standard furniture-shop tooling and a consistent pattern; we supply drawings with bulk orders.

Animated Installation Guide

Step-by-step SVG diagrams for installing Reinforcing Bracket on a production line.

Open the installation guide →

Buying Notes for OEM Orders

For OEM production, lock the configuration, finish, and packaging, then confirm volume pricing.

Request Bulk Pricing

Send your specification, target market, and order volume. Our engineers reply with pricing, samples, and datasheets — usually within one business day.

Request a Quote

Tell us your project requirement. Our engineers reply within one business day with bulk pricing, datasheets, and installation drawings.