

Display Cabinet Hinge

Furniture Hardware Parts · furniturehardwareparts.com/glass-furniture-hardware-and-display-cabinet-hardware/display-cabinet-hinge

GLASS FURNITURE HARDWARE AND DISPLAY CABINET HARDWARE

Display Cabinet Hinge mounts and secures glass doors and shelves in display and retail cabinets, sized to the glass thickness. It is available for OEM bulk supply with samples, datasheets, and installation drawings on request.

▮ Bulk Order Ready ✓ ISO 9001:2015 ▯ OEM/ODM Available ↗ [Installation Guide](#)

[Request Bulk Quote](#) [View Specifications](#)

Overview

Display Cabinet Hinge mounts and secures glass doors and shelves in display and retail cabinets, sized to the glass thickness. This page summarizes how to specify it for volume furniture and cabinet manufacturing, including the dimensions and options that matter most to buyers.

Industry Data

Use these product signals to compare fit, specification risk, and sourcing options before requesting samples or bulk pricing.

- **Cup Diameter:** 35 mm Confirm the exact value on the order datasheet before production.
- **Cup Depth:** 12 mm Confirm the exact value on the order datasheet before production.
- **Opening Angle:** 120 deg Confirm the exact value on the order datasheet before production.
- **Overlay / Crank:** Blind corner Confirm the exact value on the order datasheet before production.
- **Door Thickness:** 16-22 mm Confirm the exact value on the order datasheet before production.
- **Material options:** Stainless Steel, Carbon Steel, Zinc Alloy, Aluminum and Brass Choose material by strength, corrosion exposure, and target price.
- **Finish options:** Aged Brass, Powder Coated, Polished Chrome, Galvanized and White Confirm finish samples when color matching matters.
- **Application fit:** Store Fixtures, Restaurant Furniture, Outdoor Furniture and RV Furniture Match the product to the furniture use case, not only to the part name.

Display Cabinet Hinge

Key Specifications

Cup Diameter	35 mm
Cup Depth	12 mm
Opening Angle	120 deg
Overlay / Crank	Blind corner
Door Thickness	16-22 mm
Mounting Pattern	Screw-on mounting plate
Closing Function	Soft-close optional

Specifications are configurable for OEM/ODM orders. Exact values are confirmed on the datasheet for your order.

How to Choose

- Glass thickness and edge support
- Glass-door hinges and clamps
- Showcase locks and security
- Display lighting integration

Material Options

Chromed zinc and stainless for a clean display look.

- [Stainless Steel Display Cabinet Hinge](#)
- [Carbon Steel Display Cabinet Hinge](#)
- [Zinc Alloy Display Cabinet Hinge](#)
- [Aluminum Display Cabinet Hinge](#)
- [Brass Display Cabinet Hinge](#)
- [Copper Display Cabinet Hinge](#)

Finish Options

Chrome, satin nickel, and clear to keep the focus on the product.

- [Aged Brass Display Cabinet Hinge](#)

- [Powder Coated Display Cabinet Hinge](#)
- [Polished Chrome Display Cabinet Hinge](#)
- [Galvanized Display Cabinet Hinge](#)
- [White Display Cabinet Hinge](#)
- [Antique Brass Display Cabinet Hinge](#)
- [Gold Display Cabinet Hinge](#)
- [Copper Display Cabinet Hinge](#)

Application Fit

Store Fixtures

For this application, display cabinet hinge is specified for the typical load, environment, and usage of this application.

Restaurant Furniture

For this application, display cabinet hinge is specified for the typical load, environment, and usage of this application.

Outdoor Furniture

For this application, display cabinet hinge is specified for corrosion resistance, stainless options, and weather exposure.

RV Furniture

For this application, display cabinet hinge is specified for the typical load, environment, and usage of this application.

Marine Furniture

For this application, display cabinet hinge is specified for the typical load, environment, and usage of this application.

Flat Pack Furniture

For this application, display cabinet hinge is specified for knock-down assembly, repeatable installation, and packaging efficiency.

Recommended for These Applications

- [Display Cabinet Hinge for Store Fixtures](#)

Installation Notes

Fit cushioned clamps to the glass, set hinges to swing clear, and align doors.

📺 Animated Installation Guide

Step-by-step SVG diagrams for installing Display Cabinet Hinge on a production line.

Open the installation guide →

Buying Notes for OEM Orders

Standardize glass thicknesses and clamp types across display fixtures.

Request Bulk Pricing

Send your specification, target market, and order volume. Our engineers reply with pricing, samples, and datasheets — usually within one business day.

Request a Quote

Tell us your project requirement. Our engineers reply within one business day with bulk pricing, datasheets, and installation drawings.