

Cabinet Shelf Support

Furniture Hardware Parts · furniturehardwareparts.com/shelf-supports-brackets-and-storage-support-hardware/cabinet-shelf-support

SHELF SUPPORTS, BRACKETS, AND STORAGE SUPPORT HARDWARE

Cabinet Shelf Support is an adjustable shelf support that seats into a line-bored hole to carry cabinet, bookcase, or glass shelves at the height you choose. It is available for OEM bulk supply with samples, datasheets, and installation drawings on request.

▀ Bulk Order Ready ✓ ISO 9001:2015 ▣ OEM/ODM Available ↗ [Installation Guide](#)

[Request Bulk Quote](#) [View Specifications](#)

Overview

Cabinet Shelf Support is an adjustable shelf support that seats into a line-bored hole to carry cabinet, bookcase, or glass shelves at the height you choose. The notes below cover construction, selection factors, sizes, materials, finishes, application fit, and installation for OEM production.

Industry Data

Use these product signals to compare fit, specification risk, and sourcing options before requesting samples or bulk pricing.

- **Cabinet Width:** 300 mm Confirm the exact value on the order datasheet before production.
- **Load Capacity:** 10 kg Confirm the exact value on the order datasheet before production.
- **Runner / Motion:** Soft-close runner Confirm the exact value on the order datasheet before production.
- **Basket / Frame Size:** Pantry frame 1700 mm Confirm the exact value on the order datasheet before production.
- **Mounting:** Door-front mount Confirm the exact value on the order datasheet before production.
- **Material options:** Stainless Steel, Carbon Steel, Zinc Alloy, Aluminum and Brass Choose material by strength, corrosion exposure, and target price.
- **Finish options:** Gray, Chrome, Matte Black, Oil Rubbed Bronze and Pewter Confirm finish samples when color matching matters.
- **Application fit:** RV and Camper Furniture, Truck and Tool Storage, Face Frame Cabinets and Frameless Cabinets Match the product to the furniture use case, not only to the part name.

Cabinet Shelf Support

Key Specifications

Cabinet Width	300 mm
Load Capacity	10 kg
Runner / Motion	Soft-close runner
Basket / Frame Size	Pantry frame 1700 mm
Mounting	Door-front mount
Material / Finish	Aluminum frame with plastic trays
Door Compatibility	Hinged door cabinet

Specifications are configurable for OEM/ODM orders. Exact values are confirmed on the datasheet for your order.

How to Choose

- Shelf pin diameter and the matching drilling hole size (5mm is standard, 1/4" common in the US)
- Shelf thickness and material (wood, melamine, or glass)
- Load per shelf and number of support points
- Adjustable line-boring vs fixed positions
- Concealed vs visible support style
- Glass shelf support with a cushioned or clamped seat
- Cabinet, bookcase, or closet application

Material Options

Nickel-plated steel and zinc supports carry the most load; clear polycarbonate suits glass and display work where the support should disappear.

- [Stainless Steel Cabinet Shelf Support](#)
- [Carbon Steel Cabinet Shelf Support](#)
- [Zinc Alloy Cabinet Shelf Support](#)
- [Aluminum Cabinet Shelf Support](#)
- [Brass Cabinet Shelf Support](#)
- [Copper Cabinet Shelf Support](#)

Finish Options

Nickel and clear are the usual choices. For glass and display cabinets, a clear or chrome support keeps the look clean.

- [Gray Cabinet Shelf Support](#)
- [Chrome Cabinet Shelf Support](#)
- [Matte Black Cabinet Shelf Support](#)
- [Oil Rubbed Bronze Cabinet Shelf Support](#)
- [Pewter Cabinet Shelf Support](#)
- [Brushed Gold Cabinet Shelf Support](#)
- [White Cabinet Shelf Support](#)
- [Copper Cabinet Shelf Support](#)

Application Fit

[RV and Camper Furniture](#)

For this application, cabinet shelf support is specified for the typical load, environment, and usage of this application.

[Truck and Tool Storage](#)

For this application, cabinet shelf support is specified for the typical load, environment, and usage of this application.

[Face Frame Cabinets](#)

For this application, cabinet shelf support is specified for the typical load, environment, and usage of this application.

[Frameless Cabinets](#)

For this application, cabinet shelf support is specified for the typical load, environment, and usage of this application.

[Kitchen Cabinets](#)

For this application, cabinet shelf support is specified for daily use, soft-close motion, moisture resistance, and fast, repeatable installation on the line.

[Bathroom Vanities](#)

For this application, cabinet shelf support is specified for humidity and corrosion resistance, compact drawers, and easy maintenance.

Recommended for These Applications

- [Cabinet Shelf Support for RV and Camper Furniture](#)

Installation Notes

Line-bore the cabinet sides at 32mm spacing using a jig, insert the pins at the chosen height, and seat the shelf. For glass, add the cushioned seat so the pin does not contact the glass directly.

Animated Installation Guide

Step-by-step SVG diagrams for installing Cabinet Shelf Support on a production line.

Open the installation guide →

Buying Notes for OEM Orders

For OEM casework, standardize on one pin diameter and the 32mm system hole pattern across the range, and bundle the matching pins with each cabinet kit.

Comparisons

- [Shelf Pins vs Shelf Brackets](#)

Related Questions

These questions are pulled into the product page as visible Q&A content, not only as plain FAQ links.

What is Shelf Support?

Shelf Support seats into a line-bored hole to carry cabinet, bookcase, or glass shelves at an adjustable height. It is specified by pin diameter and the matching drilling hole size.

[Read the full Shelf Support FAQ →](#)

What is Glass Shelf Support?

Glass Shelf Support seats into a line-bored hole to carry cabinet, bookcase, or glass shelves at an adjustable height. It is specified by pin diameter and the matching drilling hole size.

[Read the full Glass Shelf Support FAQ →](#)

What is Shelf Pin?

Shelf Pin seats into a line-bored hole to carry cabinet, bookcase, or glass shelves at an adjustable height. It is specified by pin diameter and the matching drilling hole size.

[Read the full Shelf Pin FAQ →](#)

Request Bulk Pricing

Send your specification, target market, and order volume. Our engineers reply with pricing, samples, and datasheets — usually within one business day.

Request a Quote

Tell us your project requirement. Our engineers reply within one business day with bulk pricing, datasheets, and installation drawings.